



CASE STUDY | DECEMBER 2025

New Method Plating Eliminates Trichloroethylene (TCE) Use with Enclosed Vacuum Vapor Degreasing Cleaning System



New Method Plating Co., Inc.
Established 1931

SUMMARY

New Method Plating worked with TURI to evaluate safer alternatives to trichloroethylene used for cleaning in metal finishing operations. After investing in new vapor degreasing equipment and switching to modified alcohol cleaners, NMP is realizing significant cost savings, improved efficiency, reduced waste, and improved worker and community health.

New Method Plating Co., Inc. (NMP), a family-owned business operating for three generations in Worcester, Massachusetts, has successfully eliminated the use of trichloroethylene (TCE) in its vapor degreasing operations. With assistance from a grant provided by the Toxics Use Reduction Institute (TURI) with support from the Massachusetts Executive Office of Energy and Environmental Affairs (EEA), the company replaced its legacy TCE cleaning equipment with a modern vacuum vapor degreaser that uses a safer solvent. This transition supports NMP's commitment to reducing toxic chemical use, improving worker safety, and minimizing environmental impact on the surrounding Environmental Justice (EJ) community.

Background

Founded in 1931, New Method Plating Co., Inc., specializes in metal finishing, offering cadmium, zinc, copper, nickel, and chrome plating on steel, brass, and zinc die-casting substrates. The company employs 17 workers, and serves a variety of industries including aerospace, military and defense, communications, electronics, and security. Pre- and post-plating operations include cleaning, seal coating, sandblasting, degreasing, hydrogen embrittlement baking, and passivation. As a small, family-run business, NMP continually seeks to modernize its operations while maintaining the highest safety and environmental standards for its workforce and surrounding community.

The Challenge

NMP's previous vapor degreasing process relied on the halogenated solvent TCE to clean the various products that come through NMP's doors. While effective, TCE posed serious health and environmental

hazards, required specialized waste management, and created compliance challenges.

The company also faced limitations associated with its 25-year-old vapor degreasing equipment, including:

- Significant maintenance requirements.
- High electricity consumption and reliance on a high-pressure steam boiler.
- Potential worker exposure concerns.
- Inefficient capture technology resulting in fugitive releases of TCE, which increased the amount of TCE needed to maintain the appropriate tank volume.
- Minimal process control capabilities necessitating constant manual monitoring.

TCE is classified as a human carcinogen, considered a hazardous air pollutant by EPA, and is harmful to the environment and wildlife. TCE is subject to increasingly stringent restrictions such as EPA's ban on all uses of

TCE. On average, NMP used approximately 80 gallons of TCE annually, generating hazardous waste streams and requiring additional handling and carbon adsorption systems.

NMP sought to eliminate the hazards associated with TCE use that could impact its workers, local residents and environment.

The Solution

With guidance from TURI, NMP evaluated several cleaning chemistries and identified modified alcohol-based solvents as safer alternatives to TCE that meet their performance needs. Using TURI's hazard assessment tool, the Pollution Prevention Options Analysis System (P2OASys), TURI staff compared NMP's original solvent (TCE) to two alternative modified alcohol solvents, Dowclene 1601 and Metalnox M6386, to ensure that the cleaners would improve health and safety.

Environmental Health and Safety Comparison of TCE and Alternatives

	Original Solvent	Alternative Solvents Evaluated by TURI	
Category	Trichloroethylene (TCE)	Dowclene 1601	Metalnox M6386
Acute Human Effects	VH	VH	VH
Chronic Human Effects	VH	M	L
Ecological Hazards	VH	L	M
Environmental Fate & Transport	VH	M	M
Atmospheric Hazard	H	L	L
Physical Properties	VH	H	VH
Process Factors	H	M	M
Life Cycle Factors	VH	M	M

Key: L = Low M = Medium H = High VH = Very High

Both modified alcohol solvents are substantially safer options compared to TCE. While TCE has significant health and safety concerns such as effects on the immune and reproductive systems, kidney, liver, central nervous system, and fetal development, the primary hazards of the alternatives are limited to acute dermal and eye irritation.

To implement this solution, the company invested in a vacuum vapor degreaser manufactured by ILSA Metal

Cleaning, designed to operate with modified alcohols in a fully enclosed, automated process. The investment was moderately offset by funding provided through a TURI grant, supported by EEA. This new system eliminates vapor losses, minimizes solvent consumption, improves productivity, and operates efficiently at lower temperatures without the need for a steam boiler. Verification testing provided by TURI and ILSA confirmed that the modified alcohol solvent that NMP chose (Dowclene 1601) achieved equivalent cleaning quality

compared to the previous TCE process. The new equipment was engineered to fit within NMP's existing degreasing floor space, allowing the company to consolidate two legacy machines into one.

Results and Benefits

During the transition, NMP collaborated with TURI staff to document the process, baseline utility use, and projected savings in energy, waste, and operational costs. NMP's toxics use reduction efforts led to the successful elimination of TCE at its facility, resulting in a safer work environment, reduced risks for the surrounding EJ community, energy savings, and cost savings, along with other operational benefits.

Energy Efficiency and Cost Savings

Transitioning from two TCE degreasers to one completely enclosed vacuum vapor degreaser resulted in a 65% reduction in energy use. Because the new machine does not require high-pressure steam and associated cooling lines, savings on water use are also expected. In

addition, the new technology does not require a carbon adsorption air emission control system. With improved operation, NMP was able to significantly reduce power consumption and save approximately \$38,000 per year in electricity costs.



NMP's new vacuum vapor degreaser

NMP Capital and Annual Operating Costs

Item	Capital Costs	Annual Operating Costs		
		Previous Process	New System	Cost Savings
Process equipment	\$191,000			
TURI/EEA grant	(48,000)			
Chemicals		\$ 2,800	\$ 4,930 ^a	(\$ 2,130)
Electricity		53,424	15,264	38,160
Water - steam/cooling		573	0	573
Worker training		7,150	2,860	4,290
Personal protective equipment		264	90	174
Waste disposal		4,796 ^b	116 ^c	4,715
Process maintenance		2,650	0	2,650
Machine replacement parts		2,125	1,012	1,113
Labor		43,680	38,220	5,460
Totals	\$143,000	\$117,462	\$62,492	\$54,970

^a 110 gallons for initial fill of machine. Future year replenishment expected to be less than 55 gallons per year.

^b 2 drums of TCE with oil @ \$1676 each plus 2 drums of carbon adsorption filters @ \$722 each.

^c \$116 per drum. NMP expects to generate no more than 1 drum per year.

Overall, operation of the new machine yields annual savings of approximately \$55,000. The expected payback period for this investment is 2.6 years. The largest savings is expected to result from reduced electricity consumption; significant additional savings will also result from lower worker training, labor, waste

disposal, and process maintenance costs. Additional operational improvements are noted below.

Operational Improvements

Beyond the operating cost savings described above, other operational benefits experienced by NMP include:

- A shortened cycle time, improving throughput and allowing for 2-3 more cycles per hour.
- 32 programmable and completely automated cleaning options, compared to only three previously, increasing process flexibility and control.
- A fully enclosed system, which eliminates fugitive solvent emissions.
- 80% less time spent on maintenance and repair tasks due to modern design.
- Excellent worker and customer feedback; the new equipment is much easier to use and generates noticeable improvements in quality.
- Improved overall efficiency, saving 5-6 hours a week in labor.
- Quieter technology, reducing noise pollution.

Environmental and Community Impact

The environmental benefits of this project include:

- The elimination of TCE improves worker health and local air quality.

- The reduction of hazardous waste supports safer waste management practices and fewer shipments of hazardous waste through the community.
- The project aligns with Massachusetts's goals for toxics use reduction and sustainability leadership in manufacturing.

Conclusion

New Method Plating successfully eliminated the use of TCE at their facility, which significantly reduced worker exposure to hazardous chemicals, reduced operating costs, and improved overall efficiency. Financial and technical support from TURI helped NMP move quickly on this opportunity, realizing a simple payback of less than 3 years. This project demonstrates that, through thoughtful planning, small manufacturers can achieve meaningful toxics use reduction and operational efficiencies while maintaining their quality standards. The collaboration between NMP, TURI, and trusted vendors resulted in the successful implementation of a safer and effective alternative cleaning process that the company expects to use for the foreseeable future.

TURI developed the Pollution Prevention Options Analysis System (P2OASys) tool to help companies determine whether the toxics use reduction (TUR) options they are considering improve upon their existing process when looking at environmental, health and safety endpoints. By using P2OASys, unforeseen negative environmental, worker or public health impacts may be identified prior to adopting the proposed changes.

Potential hazards posted by current and alternative processes identified during the TUR planning process are compared using data endpoints for eight main categories that encompass chemical, physical, psychological and environmental hazards. For more information, see <https://p2oasys.turi.org/About>.



The Toxics Use Reduction Institute (TURI) at UMass Lowell provides the resources and tools to help Massachusetts companies and communities make the Commonwealth a safer place to live and work. Established by the state's Toxics Use Reduction Act of 1989, TURI provides research, training, technical support, laboratory services and grant programs to reduce the use of toxic chemicals while enhancing the economic competitiveness of Massachusetts businesses. Learn more at <http://www.turi.org> or contact info@turi.org, 978-934-3275.